



HDPE DWC MANUFACTURER



DILIPKUMAR & sons

GOKULPLAST LLP







DILIPKUMAR & SONS

certified company registered with Govt. of India Trademark registery in 2021.

We started our operations as a reliable manufacturer and supplier of a wide range of electrical and sewerage HDPE Double Wall Corrugated and Single Wall corrugated pipes.

We have a team of qualified professionals and a chain of renowned suppliers, ensuring the quality and efficiency of our products and services. We work with the concept of 'Just In Time Manufacturing'. It is a methodology primarily aimed at reducing time within the production system as well as response time from suppliers and to customers.



We produce conduit systems for electrical installations as well as sewerage management using advanced new generation plant and machinery which creates inner smoothness and a world class corrugation.

SN 4











CONDUIT SYSTEMS FOR ELECTRICAL

SN 8









SEWERAGE AND DRAINAGE SN8





CABLE DUCTS AND ELECTRICAL INSTALLATIONS SN4

AVAILABLE SIZES AND TECHNICAL SPECIFICATIONS


NOMINAL OUTER DIA [MM]	MINIMUM INNE DIA [MM]	R LENGTH
40/32	30 (50 MTR) (100 MTR) (200 MTR)
50/41	37 (50 MTR) (100 MTR) (200 MTR)
63/50	47 (50 MTR) (100 MTR) (200 MTR)
75/63	56 (50 MTR) (100 MTR) (200 MTR)
90/75	67	(50 MTR) (100 MTR)
110/96	82	6 METER
120/103	90	6 METER
160/140	120	6 METER
200/170	150	6 METER

SEWERAGE AND DRAINAGE SN8

AVAILABLE SIZES AND TECHNICAL SPECIFICATIONS

NOMINAL INNER DIA [MM]	LENGTH
150	6 METER
200	6 METER
250	6 METER








- Easy to transport
- Low installation cost
- Low jointing cost
- No leakage
- High ring stiffness
- Crush resistant
- Can stand heavy external load
- Adjustable to soil settlement
- Smooth inner wall
- · Wide variety of length
- Easy to lay
- Environment friendly
- Protect cables and increase their life
- Wide variety of colour choice
- Low jointing cost







- Water Supply & Sewerage
- Drainage Systems
- Solar Plants
- Telecommunication
- Road Lights
- Railways
- Petrol Pumps
- Effluent Treatment Plants
- Chemicals and Gas Distribution








Special Properties Available in DWC on Customer Demand

- Anti Rodent Properties to nullify rodent attacks while buried underground
- UV Resistance to avoid ageing under direct sunlight
- No Flame Propagation Properties to protect against flame propagation
- Mixed Color Pipes
- Extra Thickness
- Single Wall Corrugate Pipes





TRADEMARK




The trademark of our product is MASTODON.

Our factory being situated near Delhi connects us to a wide network of distributors, venders and marketing professionals throughout the country.








- Providing best value of product
- Good customer service
- · Focusing on consumer actions
- · Promoting brand loyalty
- On time delivery
- · Committing to customer needs
- Providing best quality products
- Ensuring maximum product benefits to customers
- Aiming for long term customer loyalty
- · Reducing energy costs
- Maximizing customer value image
- · Understanding customer needs
- · After sales services
- · Coordination with customers
- Problem solving approach
- Fast flow of information
- Complete traceability and accountability
- Ensuring affordable costs
- Eco-friendly products







- Melt Flow Set-up
- Compression Machine
- Deep Freezer with Digital Temperature Indicator
- · Bending Test Set-up
- Impact Tester with Striker
- Humidity Chamber
- Flame Testing Machine
- · Water Bath
- · Dust Chamber Set-up
- Carbon Context Testing Machine
- Tensile Testing Set-up
- Standard Length Test
- Oxidation Induction Test







- Low repairing cost
- No infiltration
- No leakage
- Tight joints stickiness
- Easy replacement of cables
- 100% outer surface stickiness with soil
- Saves raw material
- Saves raw material
- · Excellent ring stiffness
- Roundness of pipe is retained even when bent
- Moderate flexibility helps in soil settlement
- · Bear heavy earth loads





- High Resistance to Corrosion
- Chemically inert
- Environmentally Safe
- Good strength impact
- Weathering is less
- Recyclable
- Temperature Capabilities
- Safe Plastic
- Sustainable
- Resistant to Moisture
- Permeability to gas
- Ease of processing and forming
- Cost effective
- Non Leaching
- UV Resistant
- Dishwasher safe
- Stiff Material
- Resistant to most chemical Solvent
- Amazing Durability
- Highly versatile



CABLE DUCTS AND ELECTRICAL INSTALLATIONS

AVAILABLE SIZES AND TECHNICAL SPECIFICATIONS

NOMINAL OUTER DIA [MM]	MINIMUM INNER DIA [MM]	LENGTH
40/32	30	(50 MTR) (100 MTR) (200 MTR)
50/41	37	(50 MTR) (100 MTR) (200 MTR)
63/50	47	(50 MTR) (100 MTR) (200 MTR)
75/63	56	(50 MTR) (100 MTR) (200 MTR)
90/75	67	(50 MTR) (100 MTR)
110/96	82	6 METER
120/103	90	6 METER
160/140	120	6 METER
200/170	150	6 METER

SEWERAGE AND DRAINAGE

AVAILABLE SIZES AND TECHNICAL SPECIFICATIONS -

NOMINAL INNER DIA [MM]	LENGTH
150	6 METER
200	6 METER
250	6 METER









Office

Dilip kumar & sons, 40 / Al Amin Estate, Nr Savan Hotel, Sarkhej Cross Road, Ahmedabad.

Factory address

Plot No/04, Samved Industrial Estate, Vadsar khatraj road, Village Vadsar, Dist- Gandhinagar.



9624081113 / 9429617300



dkbindustrial2015@gmail.com dkbengineering2015@gmail.com



dksindustrial.com



